

STATE OF COLORADO

Bill Ritter, Jr., Governor
James B. Martin, Executive Director

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr. S. Laboratory Services Division
Denver, Colorado 80246-1530 8100 Lowry Blvd.
Phone (303) 692-2000 Denver, Colorado 80230-6928
TDD Line (303) 691-7700 (303) 692-3090
Located in Glendale, Colorado
<http://www.cdphe.state.co.us>



Colorado Department
of Public Health
and Environment

GUIDANCE DURING ALAMOSA WATER FLUSH

The following information is applicable from the beginning of the flush until public notification is received stating that the Alamosa City water supply is safe to be used.

RETAIL FOOD/WHOLESALE FOOD MAUFACTURERS

- Commercial food preparation can be done following guidelines provided by the public health agency. x making ice cubes
- Handwashing, followed by use of hand sanitizer can be performed using city tap water (do not touch food with bare hands, use disposable gloves)
- The use of commercial heat sanitizing warewashing machines during the flush will adequately sanitize utensils with the required final rinse temperature of 180°F.
- If a commercial heat sanitizing warewashing machine is not available for washing dishes, single-service plates and utensils must be used.
- The use of commercial chemical sanitizing warewashing machines during the flush is **not** approved.
- Do not use pop machines, coffee makers, dispenser “guns” in bar facilities, hot chocolate/cappuccino machines, produce misters and ice machines directly plumbed to the water source.
- Bottled and canned beverages can be used as a substitute.
- Purchase packaged potable ice.
- Ice machines should be disconnected in order to allow the ice to drain off.
- Consider limiting or reducing menu offerings during this time period to easily prepared items.

- Consider using prepared food from an alternative approved source.
- Consider using prepackaged foods that do not require any additional preparation other than heating in its original container.
- Consider using frozen/canned produce.

CHILD CARE CENTERS AND SCHOOLS

- Drinking fountains should not be used.
- Water for handwashing in childcare centers and schools shall be bottled. It is recommended to
 -